

Bonn zoological Bulletin	Volume 60	Issue 1	pp. 67–71	Bonn, May 2011
--------------------------	-----------	---------	-----------	----------------

Type list of amphibians and reptiles in the Zoologisches Forschungsmuseum A. Koenig, Bonn: corrections and additions

Wolfgang Böhme

Zoologisches Forschungsmuseum A. Koenig, Adenauerallee 160, 53113 Bonn, Germany;
E-mail: w.boehme.zfmk@uni-bonn.de.

The last issue of this journal contained type catalogues of the vertebrate collections in the Zoologisches Forschungsmuseum A. Koenig (ZFMK) in Bonn, among them that of the amphibians and reptiles. It was already earlier and still is my plan to publish an extensive, comprehensive and critically commented herpetological type catalogue after my nearly four decades of curatorship at ZFMK, together with a new, illustrated overview of the history of the Bonn collection, of all herpetological activities in Bonn at ZFMK and the time before (Böhme in prep. 2011). Therefore I hesitated to take also part in the joint catalogue project of the museum, since I was afraid of redundancies between both publication projects. I became, however, convinced that herpetology should not be missing among the catalogues of mammals, birds and fishes, and so I decided for a compromise which could be accomplished in a relatively short time without delaying the time schedule of the entire issue too much: A reduced list giving only

- name, author and year of description;
- catalogue numbers only for name bearers in ZFMK; for name bearers in other collections and for typoids only the acronym of the respective collections;
- country of origin and current name if the original name had changed since the original description, either by different generic assignments or by synonymizations. The reader was already referred to the extensive catalogue with all specimen data including figures to follow in 2011 (Böhme 2010: Bonn zoological Bulletin 59: 79–108).

Unfortunately, the time pressure which arose from the above-mentioned circumstances led to some errors and misprints which escaped our attention during proofreading. Such mistakes are particularly annoying when scientific names are concerned because a misspelled name is

a different combination of letters and thus a different (mostly nude) name in the sense of the Code (ICZN 1999), and the need to correct them is obvious. I prefer to provide such an errata list myself before it has to or will be done by colleagues, but I will not consider matters which are dependant from opinions (e.g. assignments to suprageneric categories etc.). Rather, I shall correct only those mistakes (misspellings, omissions) which may affect nomenclature, authorships, dates of publication, or places of deposition. For the institutional abbreviations the reader is referred to the first type list cited above.

In order to make this paper a little bit more than just an errata sheet for the published type list, I take also the opportunity to add several taxa recently published and not yet contained in the list. These are marked **in bold**, as are the corrections (followed by the erroneous names, words or acronyms in parentheses; otherwise they are additions). Corrections are listed in the order of taxa as published in the type list. The newly described taxa are –**in bold** – included in this systematic order. New, further acronyms are **AMS**: Australian Museum, Sydney; **CRES**: Center for Natural Resources and Environmental Studies, Hanoi (= VNUH); **NCSM**: North Carolina Museum of Natural Sciences, Raleigh; and **SNHM-BS**: State Natural History Museum, Braunschweig.

AMPHIBIA

Pelodryadidae (not Pelodrydaidae)

Hemiphractidae (not Amphignathodontidae)

Gastrotheca piperata Duellman & J. Köhler, 2005
Holotype: ZFMK 66838, paratypes in ZFMK **and** KU
Origin: Bolivia

Hylidae

Osteocephalus oophagus Jungfer & Schiesari, 1995
 Paratypes in ZFMK, NMW, MPEG, AMNH, MZUSP, IN-
 PA and SMNS, **holotype in MZUSP**

Centrolenidae

Hyalinobatrachium carlesvilai Castroviejo-Fisher, Padial, Chaparro, Aguayo & De la Riva, 2009
 Paratypes in ZFMK, **CBG**, MHNC and MNHN, holotype in **MHNCP** (not in MNHN)
 Origin: Bolivia

Strabomantidae

Eleutherodactylus olivaceus J. Köhler, Morales, Lötters, Reichle & Aparicio, 1998
 Paratypes in ZFMK, CBF, MUSM and USNM, **holotype in CBF**
 Origin: Bolivia
 Current name: *Pristimantis olivaceus*

Pristimantis koehleri Padial & De la Riva, 2009
 Paratypes in ZFMK, MNCN and NMK, holotype in **NKA** (not MNCN)
 Origin: Bolivia

Pristimantis reichlei Padial & De la Riva, 2009
 Paratypes in ZFMK, **CBG**, **KU**, MNCN, **NMP6V**, **NMW**, **USNM** and NMK, holotype in **NKA**
 Origin: Bolivia

Leptodactylidae

Adenomera griseigularis Henle, 1981
 Holotype: ZFMK 31800, no paratypes
 Origin: Peru
 Current name *Leptodactylus griseigularis* (not *griseonotus*)

Leptodactylus raniformis Werner, 1899
 Holotype: ZFMK **28484** (not 80600), no paratypes
 Origin: Colombia
Current name: Leptodactylus fuscus.

Ceratophryidae

Telmatobius mayoloi Salas & Sinsch, 1996
 Paratypes in ZFMK, URP, MHNSM and KU, holotype in URP
 Origin: **Peru** (not Bolivia)

Dendrobatiidae

Dendrobates typographus Keferstein, 1867
 Holotype: **ZFMK** 28115, no paratypes
 Origin: Costa Rica
 Current name: *Oophaga* (not *-gus*) *pumilio*

Epipedobates bilinguis Jungfer, 1989
 Holotype: ZFMK49073, paratypes in ZFMK
 Origin: Ecuador
 Current name: *Ameerega* (not *Amereega*) *bilinguis*.

Bufonidae

Atelopus cruciger vogli L. Müller, 1935
 Paratypes in ZFMK, **HLMD** and ZSM, holotype in ZSM.
 Origin: Venezuela
Current name: Atelopus vogli

Atelopus flaviventris Werner, 1899
 Holotype: ZFMK 28107, no paratypes
 Origin: Colombia
 Current name: *Atelopus subornatus* (not *ignescens*)

Bufo scorteccii Balletto & Cherchi, 1970
 Paratypes in ZFMK and IZUG, holotype in IZUG
 Origin: Yemen
Current name: Duttaphrynus scorteccii

Werneria submontana Rödel, Schmitz, Pauwels, & Böhme, 2004
 Holotype: ZFMK 69999, paratypes in ZFMK
 Origin: Cameroon

Microhylidae

Plethodontohyla mihanika (not *mikanika*) Vences, Rax-worth, Nussbaum & Glaw, 2003
 Paratypes in ZFMK, ZSM, UMMZ and MNHN, holotype in UMMZ
 Origin: Madagascar

Hyperoliidae	Paratypes in ZFMK, ZSM and UADBA, holotype in ZSM Origin: Madagascar
<i>Heterixalus andrakata</i> (not <i>mandrakata</i>) Glaw & Vences, 1991	<i>Boophis quasiboehmei</i> Vences, J. Köhler, Crottini & Glaw, 2010 Paratypes in ZFMK and ZSM, holotype in ZSM Origin: Madagascar
Holotype: ZFMK 52557, paratypes in ZFMK and ZSM Origin: Madagascar	Paratypes in ZFMK and ZSM, holotype in ZSM Origin: Madagascar
Arthroleptidae	
<i>Leptodactylodon wildi</i> Amiet (not Amit) & Dowsett-Lemaire, 2000	<i>Boophis tampoka</i> J. Köhler, Glaw & Vences, 2007 Paratypes in ZFMK, HLMD, UADBA and ZSM (not in FGZC), holotype in ZSM Origin: Madagascar
Paratypes ZFMK, MNHN and BMNH, holotype in MNHN Origin: Cameroon	
<i>Phrynobatrachus nlonakoensis</i> Plath, Herrmann & Böhme, 2006	<i>Mantella expectata</i> Busse & Böhme, 1992 Holotype: ZFMK, paratypes in ZFMK and ZSM Origin: Madagascar
Holotype: ZFMK 80970, paratypes in ZFMK Origin: Cameroon	
Current name: <i>Arthroleptis nlonakoensis</i>	<i>Mantidactylus corvus</i> Glaw & Vences, 1994 (not 1992) Holotype: ZFMK 57430, paratypes in ZFMK and ZSM Origin: Madagascar
Phrynobatrachidae	Current name: <i>Gephyromantis (Phylacomantis) corvus</i>
<i>Phrynobatrachus kakamikro</i> Schick, Zimkus, Channing, J. Köhler & Lötters, 2010	Rhacophoridae
Paratypes in ZFMK and NMK (not in BMNH and NKM), holotype in NMK (not NKM)	<i>Philautus quyeti</i> Nguyen Q.T., Hendrix, Böhme, Vu & Ziegler, 2008
Origin: W Kenya	Holotype: ZFMK 82999, paratype in VNUH Origin: Vietnam
Mantellidae	Current name: <i>Gracixalus quyeti</i>
<i>Blommersia galani</i> Vences, J. Köhler, Pabijan & Glaw, 2010	<i>Rhacophorus orlovi</i> Ziegler & J.Köhler, 2001 Holotype: ZFMK 71368, paratypes in ZFMK (not ZMFK), MTKD, CRES and ZMB Origin: Vietnam
Paratypes: in ZFMK, ZMA and ZSM, holotype in ZSM Origin: Madagascar	
Current name: <i>Boophis occidentalis</i>	
<i>Boophis blommersae</i> Glaw & Vences 1994 (not 1995)	<i>Rhacophorus vampyrus</i> Rowley, Le, Tran, Stuart & Hoang, 2010
Holotype: ZFMK 57398, paratypes in ZFMK and ZSM Origin: Madagascar	Paratypes in ZFMK, AMS, UNS, NCSM, holotype in AMS Origin: Vietnam
<i>Boophis haingana</i> Glaw, J. Köhler, De la Riva, Vieites & Vences, 2010	Ranidae
Paratypes in ZFMK, ZSM and UADBA, holotype in ZSM Origin: Madagascar	<i>Rana balcanica</i> H. Schneider, Sinsch & Sofianidou, 1993 Holotype: ZFMK 52825, paratypes in ZFMK Origin: Greece
<i>Boophis luciae</i> Glaw, J. Köhler, De la Riva, Vieites & Vences, 2010	Current name: <i>Pelophylax kurtmuelleri</i> (not <i>kurtklari</i>)

Agamidae

Agama pakistanica Baig, 1989
 Paratypes in ZFMK and PMNH, **holotype in PMNH**
 Origin: N Pakistan
 Current name: *Laudakia pakistanica*

Calotes nigriplicatus Hallermann, 2001 ("2000")
 Holotype: **ZFMK** 26379, no paratypes
 Origin: Moluccas, Indonesia

Pseudocalotes ziegleri Hallermann, Nguyen Q.T., Orlov & Ananjeva, 2010
 Paratypes in ZFMK, IEBR and ZISP, holotype in **IEBR**
 Origin: Vietnam

Chamaeleonidae

Bradypodion tavetanum boehmei Lutzmann & Nečas, 2002
 Holotype: **ZFMK** 63373, paratypes in ZFMK
 Origin: Kenya
 Current name: *Kinyongia boehmei*

Chamaeleo marsabitensis Tilbury, 1991
 Paratypes in ZFMK and BMNH, **holotype in BMNH**
 Origin: N Kenya
 Current name: *Trioceros marsabitensis*.

Kinyongia uthmoelleri artytor Lutzmann, Stipala, Lademann, Krause, Wilms & Schmitz, 2010
Paratypes in ZFMK and MHNG, holotype in MHNG
 Origin: Tanzania

Phyllodactylidae

Gecko fascicularis Daudin, 1802
 Neotype: ZFMK 35631
 Origin: Libya
 Current name: *Tarentola f. fascicularis* (not *T. mauritanica fascicularis*)

Tarentola fascicularis wolfgangi Joger & Bshaenia, 2010
Paratypes in ZFMK, HLMD and SNHM-BS, holotype in SNHM-BS
 Origin: Tunisia

Sphaerodactylidae

Pristurus obsti Rösler & Wranik, 1999
 Paratypes in ZFMK, MTKD, HLMD and pers. coll. H.R., **holotype in MTKD**
 Origin: Socotra Id., Yemen

Gekkonidae

Cyrtodactylus cattienensis Geißler, Nazarov, Orlov, Böhme, **Phung** (not Trung), Nguyen Q.T. & Ziegler, 2009
 Paratypes in ZFMK IEBR, VNUH, ZMMU and ZISP, holotype in IEBR
 Origin: Vietnam

Cyrtodactylus phongnhakebangensis Ziegler, Rösler, H.W. Herrmann & **Vu** (not Thanh), 2003 ("2002")
 Holotype: ZFMK 76193, paratypes in ZFMK, VNUH and MTKD
 Origin: Vietnam

Gekko siamensis Grossmann & Ulber, 1990
 Paratypes in ZFMK, MTKD and pers. coll. W.G., **holotype in MTKD**
 Origin: Thailand

Gekko scientiadventura Rösler, Ziegler, **Vu** (not Thanh), H.W. Herrmann & Böhme (2005 ("2004"))
 Holotype: ZFMK 76198, paratypes in ZFMK and VNUH
 Origin: Vietnam

Hemiphyllodactylus titiwangsaensis Zug, 2010
Paratypes in ZFMK and ZRC, holotype in ZRC
 Origin: Malaysia

Pachydactylus capensis katanganus De Witte, 1953
 Paratypes in ZFMK and IRSNB, **holotype in IRSNB**
 Origin: D.R. Congo

Lacertidae

Lacerta cappadocica muhtari Eisele, 1979
 Paratypes in ZFMK, SZE, NMW, ZSM, ZMH, BMNH, FMNH and CAS, **holotype in NMW**
 Origin: Turkey
 Current name *Apathya cappadocica muhtari*.

Scincidae

Ablepharus chernovi eiselti Schmidtler, 1997
Paratypes in ZFMK, ZSM, ZDEU and NMW, **holotype in ZSM**
Origin: S Turkey

Colubridae

Lycodon ruhstrati abditus Vogel, David, Pauwels, Sumontha, Norval, Hendrix, Vu & Ziegler, 2009
Holotype: ZFMK **86451**, paratypes in ZFMK, MNHN and ZMB
Origin: Vietnam

Varanidae

Varanus rasmusseni Koch, Gaulke & Böhme, 2010
Paratype in ZFMK, holotype in ZMUC
Origin: Tawi Tawi **Id.** (not UID.), Sulu Ids., Indonesia

Viperidae: Crotalinae

Trimeresurus nebularis Vogel, David & Pauwels, 2001
Paratypes in ZFMK, IRSNB, MNHN, ZRC and Coll. G. Vogel, **holotype in USNM**
Origin: Thailand

Calamariidae

Calamaria thanhi (not thani) Ziegler & Le, 2005
Holotype: ZFMK 82920, no paratypes
Origin: Vietnam

Acknowledgements. Thanks are due to Frank Glaw, André Koch, Jörn Köhler and Nguyen Quang Truong for bringing most of the errors to my attention.

Received: 02.02.2011

Accepted: 21.02.2011

Corresponding editor: F. Herder